§117.2

pipes, sewers or other conveyances not connected to a facility providing treatment. The term also means the municipality as defined in section 502(4) of the Act, which has jurisdiction over the indirect discharges to and the discharges from such a treatment works.

- (g) Remove or removal refers to removal of the oil or hazardous substances from the water and shoreline or the taking of such other actions as may be necessary to minimize or mitigate damage to the public health or welfare, including, but not limited to, fish, shellfish, wildlife, and public and private property, shorelines, and beaches.
- (h) Contiguous zone means the entire zone established by the United States under Article 24 of the Convention on the Territorial Sea and Contiguous Zone.
- (i) Navigable waters means "waters of the United States, including the territorial seas." This term includes:
- (1) All waters which are currently used, were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide:
- (2) Interstate waters, including interstate wetlands:
- (3) All other waters such as intrastate lakes, rivers, streams, (including intermittent streams), mudflats, sandflats, and wetlands, the use, degradation or destruction of which would affect or could affect interstate or foreign commerce including any such waters:
- (i) Which are or could be used by interstate or foreign travelers for recreational or other purposes;
- (ii) From which fish or shellfish are or could be taken and sold in interstate or foreign commerce;
- (iii) Which are used or could be used for industrial purposes by industries in interstate commerce;
- (4) All impoundments of waters otherwise defined as navigable waters under this paragraph;
- (5) Tributaries of waters identified in paragraphs (i) (1) through (4) of this section, including adjacent wetlands; and
- (6) Wetlands adjacent to waters identified in paragraphs (i) (1) through (5)

of this section ("Wetlands" means those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally included playa lakes. swamps, marshes, bogs, and similar areas such as sloughs, prairie potholes, wet meadows, prairie river overflows, mudflats, and natural ponds): Provided, That waste treatment systems (other than cooling ponds meeting the criteria of this paragraph) are not waters of the United States.

Navigable waters do not include prior converted cropland. Notwithstanding the determination of an area's status as prior converted cropland by any other federal agency, for the purposes of the Clean Water Act, the final authority regarding Clean Water Act jurisdiction remains with EPA.

(j) Process waste water means any water which, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product.

[44 FR 50776, Aug. 29, 1979, as amended at 58 FR 45039, Aug. 25, 1993; 65 FR 30904, May 15, 20001

§117.2 Abbreviations.

NPDES equals National Pollutant Discharge Elimination System. RQ equals reportable quantity.

§ 117.3 Determination of reportable quantities.

Each substance in Table 117.3 that is listed in Table 302.4, 40 CFR part 302, is assigned the reportable quantity listed in Table 302.4 for that substance.

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DES-IGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT

NOTE: The first number under the column headed "RQ" is the reportable quantity in pounds. The number in parentheses is the metric equivalent in kilograms. For convenience, the table contains a column headed "Category" which lists the code letters "X",

Environmental Protection Agency

"A", "B", "C", and "D" associated with reportable quantities of 1, 10, 100, 1000, and 5000 pounds, respectively.

Table 117.3—Reportable Quantities of Hazardous Substances Designated Pursuant to Section 311 of the Clean Water Act

Material	Category	RQ in pounds (kilograms
Acetaldehyde	с	. 1,000 (454)
Acetic acid	D	5,000 (2,270)
Acetic anhydride		
Acetone cyanohydrin		
Acetyl bromide		
Acetyl chloride		
Acrolein		
Acrylonitrile		
Adipic acidAldrin		-, (, -,
Allyl alcohol		
Allyl chloride		
Aluminum sulfate		
Ammonia		
Ammonium acetate		
Ammonium benzoate		. 5,000 (2,270)
Ammonium bicarbonate		
Ammonium bichromate		
Ammonium bifluoride		
Ammonium bisulfite		
Ammonium carbamate		
Ammonium carbonate		. 5,000 (2,270)
Ammonium chloride Ammonium chromate		
Ammonium citrate dibasic		
Ammonium fluoborate		
Ammonium fluoride		
Ammonium hydroxide		
Ammonium oxalate		
Ammonium silicofluoride		
Ammonium sulfamate	D	
Ammonium sulfide	B	
Ammonium sulfite	D	. 5,000 (2,270)
Ammonium tartrate		
Ammonium thiocyanate		1 ' ' '
Amyl acetate		
Aniline		
Antimony pentachloride		
Antimony potassium tartrate		
Antimony trichloride		
Antimony trifluoride		
Antimony trioxide		
Arsenic disulfide		, ,
Arsenic pentoxide		
Arsenic trichloride		
Arsenic trioxide		
Arsenic trisulfide		. 1 (0.454)
Barium cyanide	A	. 10 (4.54)
Benzene	A	. 10 (4.54)
Benzoic acid		
Benzonitrile		. -, (-,)
Benzoyl chloride		
Benzyl chloride		
Beryllium chloride		
Beryllium fluoride		
Beryllium nitrate		
Butylamine		
n-Butyl phthalate		
Butyric acid		
Cadmium acetate		
Cadmium bromide		
Cadmium chloride		1 - (-)
Calcium arsenate		
Calcium arsenite		
	A	1 1 2

§ 117.3

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DESIGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT—Continued

SECTION 311 OF THE CLEAN WATER ACT—Continued		
Material	Category	RQ in pounds (kilograms)
Calcium chromate	Α	10 (4.54)
Calcium cyanide	Α	10 (4.54)
Calcium dodecylbenzenesulfonate	C	1,000 (454)
Calcium hypochlorite	Α	10 (4.54)
Captan	A	10 (4.54)
Carbaryl	В	100 (45.4)
Carbofuran	Α	10 (4.54)
Carbon disulfide	В	100 (45.4)
Carbon tetrachloride	A	10 (4.54) 1 (0.454)
Chlorine	A	10 (4.54)
Chlorobenzene	В	100 (45.4)
Chloroform	Α	10 (4.54)
Chlorosulfonic acid	C	1,000 (454)
Chlorpyrifos	Χ	1 (0.454)
Chromic acetate	C	1,000 (454)
Chromic acid	Α	10 (4.54)
Chromic sulfate	C	1,000 (454)
Chromous chloride	C	1,000 (454)
Cobaltous bromide	C	1,000 (454)
Cobaltous formate	C	1,000 (454)
Cobaltous sulfamate	Ç	1,000 (454)
Coumaphos	Α	10 (4.54)
Cresol	В	100 (45.4)
Crotonaldehyde	В	100 (45.4)
Cupric acetate	B	100 (45.4)
Cupric acetoarsenite	X	1 (0.454)
Cupric chloride	A B	10 (4.54)
Cupric nitrate	В	100 (45.4)
Cupric oxalate	Α	100 (45.4) 10 (4.54)
Cupric sulfate, ammoniated	В	100 (45.4)
Cupric tartrate	В	100 (45.4)
Cyanogen chloride	Α	10 (4.54)
Cyclohexane	C	1,000 (454)
2,4-D Acid	В	100 (45.4)
2,4-D Esters	В	100 (45.4)
DDT	X	1 (0.454)
Diazinon	X	1 (0.454)
Dicamba	C	1,000 (454)
Dichlobenil	В	100 (45.4)
Dichlone	X	1 (0.454)
Dichlorobenzene	В	100 (45.4)
Dichloropropane	C	1,000 (454)
Dichloropropene	B	100 (45.4)
Dichloropropene-Dichloropropane (mixture)	В	100 (45.4)
2,2-Dichloropropionic acid	D	5,000 (2,270)
Dichlorvos	A	10 (4.54) 10 (4.54)
Dieldrin	X	1 (0.454)
Diethylamine	В	100 (45.4)
Dimethylamine	C	1,000 (454)
Dinitrobenzene (mixed)	В	100 (45.4)
Dinitrophenol	Α	10 (45.4)
Dinitrotoluene	Α	10 (4.54)
Diquat	C	1,000 (454)
Disulfoton	X	1 (0.454)
Diuron	В	100 (45.4)
Dodecylbenzenesulfonic acid	С	1,000 (454)
Endosulfan	X	1 (0.454)
Endrin	X	1 (0.454)
Epichlorohydrin	В	100 (45.4)
Ethion	Α	10 (4.54)
Ethylbenzene	C	1,000 (454)
Ethylenediamine	D	5,000 (2,270)
Ethylenediamine-tetraacetic acid (EDTA)	D	5,000 (2,270)
Ethylene dibromide	X	1 (0.454)
Ethylene dichloride	В	100 (45.4)
Ferric ammonium citrate	C	1,000 (454)
Ferric ammonium oxalate	C	1,000 (454)
Ferric chloride	l C	1,000 (454)

Environmental Protection Agency

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DESIGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT—Continued

Material	Category	RQ in pounds (kilograms)
Ferric fluoride	В	100 (45.4)
Ferric nitrate	C	1,000 (454)
Ferric sulfate	C	1,000 (454)
Ferrous ammonium sulfate	C	1,000 (454)
Ferrous chloride	В	100 (45.4)
Ferrous sulfate	C	1,000 (454)
Formaldehyde	В	100 (45.4)
Formic acid		5,000 (2,270)
Fumaric acid	D	5,000 (2,270)
Furfural	D	5,000 (2,270)
Guthion	Χ	1 (0.454)
Heptachlor	Χ	1 (0.454)
Hexachlorocyclopentadiene	Α	10 (4.54)
Hydrochloric acid	D	5,000 (2,270)
Hydrofluoric acid	В	100 (45.4)
Hydrogen cyanide	Α	10 (4.54)
Hydrogen sulfide	В	100 (45.4)
soprene	В	100 (45.4)
sopropanolamine dodecylbenzenesulfonate		1,000 (454)
Kepone		1 (0.454)
Lead acetate		10 (4.54)
Lead arsenate		1 (0.454)
Lead chloride		10 (4.54)
Lead fluoborate		10 (4.54)
Lead fluoride		10 (4.54)
Lead iodide		10 (4.54)
Lead nitrate		10 (4.54)
Lead stearate		10 (4.54)
Lead sulfate		10 (4.54)
Lead sulfide		10 (4.54)
Lead thiocyanate		10 (4.54)
Lindane		1 (0.454)
Lithium chromate		10 (4.54)
Malathion		100 (45.4)
Maleic acid		5,000 (2,270)
Maleic anhydride		5,000 (2,270)
Mercaptodimethur		10 (4.54)
Mercuric cyanide		1 (0.454)
Mercuric nitrate		10 (4.54)
Mercuric sulfate		10 (4.54)
Mercuric thiocyanate		10 (4.54)
Mercurous nitrate		10 (4.54)
Methoxychlor		1 (0.454)
Methyl mercaptan		
Methyl methacrylate		100 (45.4)
		1,000 (454)
Methyl parathion		100 (45.4)
		10 (4.54)
Mexacarbate		1,000 (454)
		100 (45.4)
Monomethylamine		100 (45.4)
Naled		10 (4.54)
Naphthalene		100 (45.4)
Naphthenic acid		100 (45.4)
Nickel ammonium sulfate		100 (45.4)
Nickel chloride		100 (45.4)
Nickel hydroxide		10 (4.54)
Nickel nitrate		100 (45.4)
Nickel sulfate		100 (45.4)
Nitric acid		1,000 (454)
Nitrobenzene		1,000 (454)
Nitrogen dioxide	Α	10 (4.54)
Nitrophenol (mixed)	В	100 (45.4)
Nitrotoluene		1,000 (454)
Paraformaldehyde		1,000 (454)
Parathion	Α	10 (4.54)
Pentachlorophenol		10 (4.54)
Phenol		1,000 (454)
Phosgene		10 (4.54)
		5,000 (2,270)
Phosphoric acid	I D	
Phosphoric acidPhosphorus		1 (0.454)

§ 117.3

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DESIGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT—Continued

Material	Category	RQ in pounds (kilograms)
Phosphorus pentasulfide	В	100 (45.4)
Phosphorus trichloride	С	1,000 (454)
Polychlorinated biphenyls	X	1 (0.454)
Potassium arsenate		1 (0.454)
Potassium arsenite		1 (0.454)
Potassium bichromate		10 (4.54)
Potassium chromate		10 (4.54)
Potassium cyanide		10 (4.54)
Potassium hydroxide		1,000 (454) 100 (45.4)
Propargite		10 (4.54)
Propionic acid		5,000 (2,270)
Propionic anhydride		5,000 (2,270)
Propylene oxide		100 (45.4)
Pyrethrins		1 (0.454)
Quinoline		5,000 (2,270)
Resorcinol		5,000 (2,270)
Selenium oxide		10 (4.54)
Silver nitrate		1 (0.454)
Sodium		10 (4.54)
Sodium arsenate		1 (0.454)
Sodium arsenite		1 (0.454) 10 (4.54)
Sodium bichromate Sodium bifluoride		100 (45.4)
Sodium bisulfite		5,000 (2,270)
Sodium chromate		10 (4.54)
Sodium cyanide		10 (4.54)
Sodium dodecylbenzenesulfonate		1,000 (454)
Sodium fluoride		1,000 (454)
Sodium hydrosulfide	D	5,000 (2,270)
Sodium hydroxide		1,000 (454)
Sodium hypochlorite		100 (45.4)
Sodium methylate		1,000 (454)
Sodium nitrite		100 (45.4) 5,000 (2,270)
Sodium phosphate, tribasic		5,000 (2,270)
Sodium selenite		100 (45.4)
Strontium chromate		10 (4.54)
Strychnine		10 (4.54)
Styrene		1,000 (454)
Sulfuric acid	C	1,000 (454)
Sulfur monochloride		1,000 (454)
2,4,5-T acid		1,000 (454)
2,4,5-T amines		5,000 (2,270)
2,4,5-T esters		1,000 (454)
2,4,5-T salts		1,000 (454)
TDE		1 (0.454) 100 (45.4)
2,4,5-TP acid esters		100 (45.4)
Tetraethyl lead		10 (4.54)
Tetraethyl pyrophosphate		10 (4.54)
Thallium sulfate		100 (45.4)
Toluene	С	1,000 (454)
Toxaphene	X	1 (0.454)
Trichlorfon	В	100 (45.4)
Trichloroethylene		100 (45.4)
Trichlorophenol		10 (4.54)
Triethanolamine dodecylbenzenesulfonate		1,000 (454)
Triethylamine		5,000 (2,270)
Trimethylamine	_	100 (45.4)
Uranyl acetate	В	100 (45.4)
Uranyl nitrate		100 (45.4) 1,000 (454)
Vanadvil sulfate		1,000 (454)
Vinyl acetate	-	5,000 (2,270)
Vinylidene chloride		100 (45.4)
Xylene (mixed)		100 (45.4)
Xylenol		1,000 (454)
Zinc acetate		1,000 (454)
Zinc ammonium chloride	C	1,000 (454)

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DESIGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT—Continued

Material	Category	RQ in pounds (kilograms)
Zinc bromide	С	1,000 (454)
Zinc carbonate	C	1,000 (454)
Zinc chloride	C	1,000 (454)
Zinc cyanide	Α	10 (4.54)
Zinc fluoride	C	1,000 (454)
Zinc formate	C	1,000 (454)
Zinc hydrosulfite	C	1,000 (454)
Zinc nitrate	C	1,000 (454)
Zinc phenolsulfonate	D	5,000 (2,270)
Zinc phosphide	В	100 (45.4)
Zinc silicofluoride		5,000 (2,270)
Zinc sulfate	C	1,000 (454)
Zirconium nitrate	D	5,000 (2,270)
Zirconium potassium fluoride		1,000 (454)
Zirconium sulfate	D	5,000 (2,270)
Zirconium tetrachloride	D	5,000 (2,270)

[50 FR 13513, Apr. 4, 1985, as amended at 51 FR 34547, Sept. 29, 1986; 54 FR 33482, Aug. 14, 1989; 58 FR 35327, June 30, 1993; 60 FR 30937, June 12, 1995]

Subpart B—Applicability

§117.11 General applicability.

This regulation sets forth a determination of the reportable quantity for each substance designated as hazardous in 40 CFR part 116. The regulation applies to quantities of designated substances equal to or greater than the reportable quantities, when discharged into or upon the navigable waters of the United States, adjoining shorelines, into or upon the contiguous zone, or beyond the contiguous zone as provided in section 311(b)(3) of the Act, except to the extent that the owner or operator can show such that discharges are made:

- (a) In compliance with a permit issued under the Marine Protection, Research and Sanctuaries Act of 1972 (33 U.S.C. 1401 *et seq.*);
- (b) In compliance with approved water treatment plant operations as specified by local or State regulations pertaining to safe drinking water;
- (c) Pursuant to the label directions for application of a pesticide product registered under section 3 or section 24 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended (7 U.S.C. 136 et seq.), or pursuant to the terms and conditions of an experimental use permit issued under section 5 of FIFRA, or pursuant to an exemption granted under section 18 of FIFRA;

- (d) In compliance with the regulations issued under section 3004 or with permit conditions issued pursuant to section 3005 of the Resource Conservation and Recovery Act (90 Stat. 2795; 42 U.S.C. 6901);
- (e) In compliance with instructions of the On-Scene Coordinator pursuant to 40 CFR part 1510 (the National Oil and Hazardous Substances Pollution Plan) or 33 CFR 153.10(e) (Pollution by Oil and Hazardous Substances) or in accordance with applicable removal regulations as required by section 311(j)(1)(A);
- (f) In compliance with a permit issued under §165.7 of Title 14 of the State of California Administrative Code:
- (g) From a properly functioning inert gas system when used to provide inert gas to the cargo tanks of a vessel;
- (h) From a permitted source and are excluded by §117.12 of this regulation;
- (i) To a POTW and are specifically excluded or reserved in §117.13; or
- (j) In compliance with a permit issued under section 404(a) of the Clean Water Act or when the discharges are exempt from such requirements by section 404(f) or 404(r) of the Act (33 U.S.C. 1344(a), (f), (r)).

§ 117.12 Applicability to discharges from facilities with NPDES permits.

(a) This regulation does not apply to: