



STATUTORY INSTRUMENTS.

S.I. No. 248 of 1998.

SAFETY, HEALTH AND WELFARE AT WORK
(BIOLOGICAL AGENTS) (AMENDMENT)
REGULATIONS, 1998.

(Pn. 5981)

S.I. No. 248 of 1998.

**SAFETY, HEALTH AND WELFARE AT WORK
(BIOLOGICAL AGENTS) (AMENDMENT)
REGULATIONS, 1998.**

I, TOM KITT, Minister of State at the Department of Enterprise, Trade and Employment, in exercise of the powers conferred on me by section 28 of the Safety, Health and Welfare at Work Act, 1989 (No. 7 of 1989) and the Labour (Transfer of Departmental Administration and Ministerial Functions) Order, 1993 (S.I. No. 18 of 1993), as adapted by the Enterprise and Employment (Alteration of Name of Department and Title of Minister) Order, 1997 (S.I. No. 305 of 1997), and the Enterprise, Trade and Employment (Delegation of Ministerial Functions) (No. 2) Order, 1997 (S.I. No. 330 of 1997), and after consultation with the National Authority for Occupational Safety and Health, and for the purpose of giving effect to Council Directives 90/679/EEC of 26 November 1990¹ as amended by Council Directive 93/88/EEC of 12 October 1993², Commission Directive 95/30/EC of 30 June 1995³, Commission Directive 97/59/EC of 7 October 1997⁴ and Commission Directive 97/65/EC of 26 November 1997⁵, hereby make the following regulations:—

1. These Regulations may be cited as the Safety, Health and Welfare at Work (Biological Agents) (Amendment) Regulations, 1998.
2. The Safety, Health and Welfare at Work (Biological Agents) Regulations, 1994 (S.I. No. 146 of 1994), are hereby amended by the substitution for the Fourth Schedule thereto of the Schedule to these Regulations.

¹O.J. No. L374 of 31/12/90, pp. 1-12.

²O.J. No. L268 of 29/10/93, pp. 71-82.

³O.J. No. L155 of 6/7/95, pp. 41-42.

⁴O.J. No. L282 of 15/10/97, pp. 33-35.

⁵O.J. No. L335 of 6/12/97, pp. 17-18.

Notice of the making of this Statutory Instrument was published in “Iris Oifigiúil” of 4th August, 1998.

SCHEDULE

CLASSIFICATION OF BIOLOGICAL AGENTS

Regulation 4(e)(i), 6(2)(b)

1. Certain biological agents classified in Group 3 which are indicated in the appended list by an asterisk (*), may present a limited risk of infection for workers because they are not normally infectious by the air-borne route.

2. This list also gives a separate indication in cases where the biological agents are likely to cause allergic or toxic reactions, where an effective vaccine is available, or where it is advisable to keep a list of exposed workers for more than 10 years.

These indications are shown by the following letters:

A: Possible allergic effects.

D: List of workers exposed to this biological agent to be kept for more than 10 years after the end of last known exposure.

T: Toxin production.

V: Effective vaccine available.

NB: For biological agents appearing on this list, "spp." refers to other species which are known pathogens in humans.

BACTERIA

AND SIMILAR ORGANISMS

Biological Agents	Classification	Notes
Actinobacillus actinomycetemcomitans	2	
Actinomadura madurae	2	
Actinomadura pelletieri	2	
Actinomyces gerencseriae	2	
Actinomyces israelii	2	
Actinomyces pyogenes	2	
Actinomyces spp.	2	
Arcanobacterium haemolyticum (Corynebacterium haemolyticum)	2	
Bacillus anthracis	3	

Biological Agents	Classification	Notes
Bacteroides fragilis	2	
Bartonella bacilliformis	2	
Bartonella (Rochalimea) spp.	2	
Bordetella bronchiseptica	2	
Bordetella parapertussis	2	
Bordetella pertussis	2	V
Borrelia burgdorferi	2	
Borrelia duttonii	2	
Borrelia recurrentis	2	
Borrelia spp.	2	
Brucella abortus	3	
Brucella canis	3	
Brucella melitensis	3	
Brucella suis	3	
Campylobacter fetus	2	
Campylobacter jejuni	2	
Campylobacter spp.	2	
Cardiobacterium hominis	2	
Chlamydia pneumoniae	2	
Chlamydia trachomatis	2	
Chlamydia psittaci (avian strains)	3	
Chlamydia psittaci (other strains)	2	
Clostridium botulinum	2	T
Clostridium perfringens	2	
Clostridium tetani	2	T,V
Clostridium spp.	2	
Corynebacterium diphtheriae	2	T,V
Corynebacterium minutissimum	2	
Corynebacterium pseudotuberculosis	2	
Corynebacterium spp.	2	
Coxiella burnetii	3	
Edwardsiella tarda	2	
Ehrlichia sennetsu (Rickettsia sennetsu)	2	
Ehrlichia spp.	2	
Eikenella corrodens	2	
Enterobacter aerogenes/cloacae	2	
Enterobacter spp.	2	
Enterococcus spp.	2	
Erysipelothrix rhusiopathiae	2	
Escherichia coli (with the exception of non-pathogenic strains)	2	
Escherichia coli, verocytotoxigenic strains (e.g. O 157:H7 or O103)	3(*)	T
Flavobacterium meningosepticum	2	
Fluoribacter bozemanae (Legionella)	2	
Francisella tularensis (Type A)	3	
Francisella tularensis (Type B)	2	
Fusobacterium necrophorum	2	
Gardenerella vaginalis	2	
Haemophilus ducreyi	2	
Haemophilus influenzae	2	
Haemophilus spp.	2	
Helicobacter pylori	2	
Klebsiella oxytoca	2	

Biological Agents	Classification	Notes
<i>Klebsiella pneumoniae</i>	2	
<i>Klebsiella</i> spp.	2	
<i>Legionella pneumophila</i>	2	
<i>Legionella</i> spp.	2	
<i>Leptospira interrogans</i> (all serovars)	2	
<i>Listeria monocytogenes</i>	2	
<i>Listeria ivanovii</i>	2	
<i>Morganella morganii</i>	2	
<i>Mycobacterium africanum</i>	3	V
<i>Mycobacterium avium/intracellulare</i>	2	
<i>Mycobacterium bovis</i> (except BCG strain)	3	V
<i>Mycobacterium chelonae</i>	2	
<i>Mycobacterium fortuitum</i>	2	
<i>Mycobacterium kansasii</i>	2	
<i>Mycobacterium leprae</i>	3	
<i>Mycobacterium malmoense</i>	2	
<i>Mycobacterium marinum</i>	2	
<i>Mycobacterium microti</i>	3(*)	
<i>Mycobacterium paratuberculosis</i>	2	
<i>Mycobacterium scrofulaceum</i>	2	
<i>Mycobacterium simiae</i>	2	
<i>Mycobacterium szulgai</i>	2	
<i>Mycobacterium tuberculosis</i>	3	
<i>Mycobacterium ulcerans</i>	3(*)	V
<i>Mycobacterium xenopi</i>	2	
<i>Mycoplasma pneumoniae</i>	2	
<i>Mycoplasma hominis</i>	2	
<i>Mycoplasma caviae</i>	2	
<i>Neisseria gonorrhoeae</i>	2	
<i>Neisseria meningitidis</i>	2	
<i>Nocardia asteroides</i>	2	
<i>Nocardia brasiliensis</i>	2	
<i>Nocardia farcinica</i>	2	
<i>Nocardia nova</i>	2	
<i>Nocardia otitidiscauli</i>	2	
<i>Pasteurella multocida</i>	2	
<i>Pasteurella</i> spp.	2	
<i>Peptostreptococcus anaerobius</i>	2	
<i>Plesiomonas shigelloides</i>	2	
<i>Porphyromonas</i> spp.	2	
<i>Prevotella</i> spp.	2	
<i>Proteus mirabilis</i>	2	
<i>Proteus penneri</i>	2	
<i>Proteus vulgaris</i>	2	
<i>Providencia alcalifaciens</i>	2	
<i>Providencia rettgeri</i>	2	
<i>Providencia</i> spp.	2	
<i>Pseudomonas aeruginosa</i>	2	
<i>Burkholderia mallei</i> (<i>Pseudomonas mallei</i>)	3	
<i>Burkholderia pseudomallei</i> (<i>Pseudomonas pseudomallei</i>)	3	
<i>Rhodococcus equi</i>	2	
<i>Rickettsia akari</i>	3(*)	

Biological Agents	Classification	Notes
Rickettsiai canada	3(*)	
Rickettsia conorii	3	
Rickettsia montana	3(*)	
Rickettsia typhi (Rickettsia mooseri)	3	
Rickettsia prowazekii	3	
Rickettsia rickettsii	3	
Rickettsia tsutsugamushi	3	
Rickettsia spp.	2	
Bartonella quintana (Rochalimaea quintana)	2	
Salmonella Arizonae	2	
Salmonella Enteritidis	2	
Salmonella Typhimurium	2	
Salmonella Paratyphi A, B, C	2	V
Salmonella Typhi	3(*)	V
Salmonella (other serovars)	2	
Serpulina spp.	2	
Shigella boydii	2	
Shigella dysenteriae (Type 1)	3(*)	T
Shigella dysenteriae, other than Type 1	2	
Shigella flexneri	2	
Shigella sonnei	2	
Staphylococcus aureus	2	
Streptobacillus moniliformis	2	
Streptococcus pneumoniae	2	
Streptococcus pyogenes	2	
Streptococcus suis	2	
Streptococcus spp.	2	
Treponema carateum	2	
Treponema pallidum	2	
Treponema pertenue	2	
Treponema spp.	2	
Vibrio cholerae (including El Tor)	2	
Vibrio parahaemolyticus	2	
Vibrio spp.	2	
Yersinia enterocolitica	2	
Yersinia pestis	3	
Yersinia pseudotuberculosis	2	
Yersinia spp.	2	V

(*) See paragraph 1 of the introductory notes.

VIRUS

Biological Agents	Classification	Notes
Adenoviridae	2	
Arenaviridae		
LCM-Lassa-Virus Complex (Old World arena viruses):		
Lassa virus	4	
Lymphocytic choriomeningitis virus (neurotropic strains)	3	
Lymphocytic choriomeningitis virus (other strains)	2	
Mopeia virus	2	
Other LCM-Lassa complex viruses	2	
Tacaribe-Virus-Complex (New World arena viruses):		
Guanarito virus	4	
Junin virus	4	
Sabia virus	4	
Machupo virus	4	
Flexal virus	3	
Other Tacaribe complex viruses	2	
Astroviridae	2	
Bunyaviridae		
Germiston	2	
Sin Nombre (formerly Muerto Canyon)	3	
Belgrade (also known as Dobrava)	3	
Bhanja	2	
Bunyamwera virus	2	
Oropouche virus	3	
California encephalitis virus	2	
Hantaviruses:		
Hantaan (Korean haemorrhagic fever)	3	
Seoul virus	3	
Puumala virus	2	
Prospect Hill virus	2	
Other hantaviruses	2	
Nairoviruses:		
Crimean-Congo haemorrhagic fever	4	
Hazara virus	2	
Phleboviruses:		V
Rift Valley fever	3	
Sandfly fever	2	
Toscana virus	2	
Other bunyaviridae known to be pathogenic	2	
Caliciviridae		
Hepatitis E virus	3(*)	
Norwalk virus	2	
Other Caliciviridae	2	
Coronaviridae	2	
Filoviridae		
Ebola virus	4	
Marburg virus	4	

Biological Agents	Classification	Notes
Flaviviridae		
Hepatitis G	3(*)	D
Australia encephalitis (Murray Valley encephalitis)	3	
Central European tick-borne encephalitis virus	3(*)	V
Absettarov	3	
Hanzalova	3	
Hypr	3	
Kumlinge	3	
Dengue virus type 1-4	3	
Hepatitis C virus	3(*)	D
Japanese B encephalitis	3	V
Kyasanur Forest	3	V
Louping ill	3(*)	
Omsk (a)	3	V
Powassan	3	
Rocio	3	
Russian spring-summer encephalitis (TBE)(a)	3	V
St. Louis encephalitis	3	
Wesselsbron virus	3(*)	
West Niler fever virus	3	
Yellow fever	3	V
Other flaviviruses known to be pathogenic	2	
Hepadnaviridae		
Hepatitis B virus	3(*)	V,D
Hepatitis D Virus (Delta)(b)	3(*)	V,D
Herpesviridae		
Human herpes virus 7	2	
Human herpes virus 8	2	D
Cytomegalovirus	2	
Epstein-Barr virus	2	
Herpesvirus simiae (B virus)	3	
Herpes simplex virus types 1 and 2	2	
Herpesvirus varicella-zoster	2	
Human B-lymphotropic virus (HBLV-HHV6)	2	
Orthomyxoviridae		
Influenza viruses types A, B and C	2	V(c)
Tick-borne orthomyxoviridae: Dhori and Thogoto viruses	2	
Papovaviridae		
BK and JC viruses	2	D(d)
Human papillomaviruses	2	D(d)
Paramyxoviridae		
Measles virus	2	V
Mumps virus	2	V
Newcastle disease virus	2	
Parainfluenza viruses types 1 to 4	2	
Respiratory syncytial virus	2	
Parvoviridae		
Human parvovirus (B 19)	2	
Picornaviridae		
Acute haemorrhagic conjunctivitis virus (AHC)	2	

Biological Agents	Classification	Notes
Coxsackie viruses	2	
Echo viruses	2	
Hepatitis A virus (human enterovirus type 72)	2	V
Polioviruses	2	V
Rhinoviruses	2	
Poxviridae		
Buffalopox virus (e)	2	
Cowpox virus	2	
Elephantpox virus (f)	2	
Milker's node virus	2	
Molluscum contagiosum virus	2	
Monkeypox virus	3	V
Orf virus	2	
Rabbitpox virus (g)	2	
Vaccinia virus	2	
Variola (major minor) virus	4	V
Whitepox virus ("Variola virus")	4	V
Yatapox virus (Tana & Yaba)	2	
Reoviridae		
Coltivirus	2	
Human rotaviruses	2	
Orbiviruses	2	
Reoviruses	2	
Retroviridae		
SIV virus (h)	3(*)	
Human immunodeficiency viruses	3(*)	D
Human T-cell lymphotropic viruses (HTLV) types 1 and 2	3(*)	D
Rhabdoviridae		
Rabies virus	3(*)	V
Visicular stomatitis virus	2	
Togaviridae		
Alfaviruses:		
Eastern equine encephalomyelitis	3	V
Bebaru virus	2	
Chickungunya virus	3(*)	
Everglades virus	3(*)	
Mayaro virus	3	
Mucambo virus	3(*)	
Ndumu virus	3	
O'nyong-nyong virus	2	
Ross River virus	2	
Semliki Forest virus	2	
Sindbis virus	2	
Tonate virus	3(*)	
Venezuelan equine encephalomyelitis	3	V
Western equine encephalomyelitis	3	V
Other known alphaviruses	2	
Rubivirus (rubella)	2	V
Toroviridae	2	
Unclassified viruses		
Equine morbillivirus	4	
Hepatitis viruses not yet identified	3(*)	D

Biological Agents	Classification	Notes
Unconventional agents associated with the transmissible spongiform encephalopathies (TSEs):		
Creutzfeldt-Jacob disease	3(*)	D(d)
Variant Creutzfeldt-Jakob disease	3(*)	D(d)
Bovine spongiform encephalopathy (BSE) and other related animal TSEs (i)	3(*)	D(d)
Gerstmann-Straussler-Scheinker syndrome	3(*)	D(d)
Kuru	3(*)	D(d)

(*) See paragraph 1 of the introductory notes.

- (a) Tick-borne encephalitis.
- (b) Hepatitis D virus is pathogenic in workers only in the presence of simultaneous or secondary infection caused by hepatitis B virus. Vaccination against hepatitis B virus will therefore protect workers who are not affected by hepatitis B virus against hepatitis D virus (Delta).
- (c) Only for types A and B.
- (d) Recommended for work involving direct contact with these agents.
- (e) Two viruses are identified: one a buffalopox type and the other a variant of the Vaccinia virus.
- (f) Variant of cowpox virus.
- (g) Variant of Vaccinia.
- (h) At present there is no evidence of disease in humans caused by the other retroviruses of simian origin. As a precaution containment level 3 is recommended for work with them.
- (i) There is no evidence in humans of infections caused by the agents responsible for other animal TSEs. Nevertheless, the containment measures for agents categorised in risk group 3(*) are recommended as a precaution for laboratory work, except for laboratory work relating to an identified agent of scrapie where containment level 2 is sufficient.

PARASITES

Biological Agent	Classification	Notes
Acanthamoeba castellani	2	
Ancylostoma duodenale	2	
Angiostrongylus cantonensis	2	
Angiostrongylus costaricensis	2	
Ascaris lumbricoides	2	
Ascaris suum	2	A
Babesia divergens	2	
Babesia microti	2	
Balantidium coli	2	
Brugia malayi	2	
Brugia pahangi	2	
Capillaria philippinensis	2	
Capillaria spp.	2	
Clonorchis sinensis	2	
Clonorchis viverrini	2	
Cryptosporidium parvum	2	
Cryptosporidium spp.	2	
Cyclospora cayetanensis	2	
Dipetalonema streptocerca	2	
Diphyllobothrium latum	2	
Dracunculus medinensis	2	
Echinococcus granulosus	3(*)	
Echinococcus multilocularis	3(*)	
Echinococcus vogeli	3(*)	
Entamoeba histolytica	2	
Fasciola gigantica	2	
Fasciola hepatica	2	
Fasciolopsis buski	2	
Giardia lamblia (Giardia intestinalis)	2	
Hymenolepis diminuta	2	
Hymenolepis nana	2	
Leishmania brasiliensis	3(*)	
Leishmania donovani	3(*)	
Leishmania ethiopica	2	
Leishmania mexicana	2	
Leishmania peruviana	2	
Leishmania tropica	2	
Leishmania major	2	
Leishmania spp.	2	
Loa loa	2	
Mansonella ozzardi	2	
Mansonella perstans	2	
Naegleria fowleri	3	
Necator americanus	2	
Onchocerca volvulus	2	
Opisthorchis felineus	2	
Opisthorchis spp.	2	
Paragonimus westermani	2	
Plasmodium falciparum	3(*)	
Plasmodium spp. (human and simian)	2	
Sarcocystis suisomnis	2	
Schistosoma haematobium	2	
Schistosoma intercalatum	2	

Biological Agents	Classification	Notes
<i>Schistosoma japonicum</i>	2	
<i>Schistosoma mansoni</i>	2	
<i>Schistosoma mekongi</i>	2	
<i>Strongyloides stercoralis</i>	2	
<i>Strongyloides</i> spp.	2	
<i>Taenia saginata</i>	2	
<i>Taenia solium</i>	3(*)	
<i>Toxocara canis</i>	2	
<i>Toxoplasma gondii</i>	2	
<i>Trichinella spiralis</i>	2	
<i>Trichuris trichiura</i>	2	
<i>Trypanosoma brucei brucei</i>	2	
<i>Trypanosoma brucei gambiense</i>	2	
<i>Trypanosoma brucei rhodesiense</i>	3(*)	
<i>Trypanosoma cruzi</i>	3	
<i>Wuchereria bancrofti</i>	2	

(*) See paragraph 1 of the introductory notes.

FUNGI

Biological Agent	Classification	Notes
Aspergillus fumigatus	2	A
Blastomyces dermatitidis (Ajellomyces dermatitidis)	3	
Candida albicans	2	A
Candida tropicalis	2	
Cladophialophora bantiniae (formerly: Xylophpha bantiana, Cladosporium bantianum or trichoides)	3	
Coccidioides immitis	3	A
Cryptococcus neoformans var. neoformans (Filobasidiella neoformans var. Neoformans)	2	A
Cryptococcus neoformans var. gattii (Filobasidiella bacillispora)	2	A
Emmonsia parva var. parva	2	
Emmonsia parva var. crescens	2	
Epidermophyton floccosum	2	A
Fonsecaea compacta	2	
Fonsecaea pedrosoi	2	
Histoplasma capsulatum var. capsulatum (Ajellomyces capsulatus) Histoplasma capsulatum duboisii	3	
Madurella grisea	2	
Madurella mycetomatis	2	
Microsporum spp.	2	A
Neotestudina rosatii	2	
Paracoccidioides brasiliensis	3	
Penicillium marneffei	2	A
Scedosporium apiospermum (Pseudallescheria boydii)	2	
Scedosporium prolificans (inflatum)	2	
Sporothrix schenckii	2	
Trichophyton rubrum	2	
Trichophyton spp.	2	

GIVEN under my hand, this 20th day of July, 1998.

TOM KITT,
Minister of State at the Department of
Enterprise, Trade and Employment.

EXPLANATORY NOTE.

(This note is not part of the Instrument and does not purport to be a legal interpretation.)

These Regulations implement Commission Directive 95/30/EC of 30th June, 1995, Commission Directive 97/59/EC of 7th October, 1997, and Commission Directive 97/65/EC of 26th November, 1997 on the protection of workers from risks related to exposure to a biological agent at work, which amended the list of biological agents contained in Council Directive 93/88/EEC. These Regulations replace the list of Biological Agents contained in the Fourth Schedule of the Safety, Health and Welfare at Work (Biological Agents) Regulations, 1994 which implemented Council Directives 90/679/EEC and 93/88/EEC on the protection of workers from risks related to exposure to biological agents at work, with the list contained in the Schedule of these Regulations. In the list, biological agents are classified as Group 2, Group 3 and Group 4 agents. This classification is in ascending order of severity. Risk assessment and the provision of vaccination as provided for in Regulations 4 and 6 of the Safety Health and Welfare at Work (Biological Agents) Regulations, 1994, respectively, must be carried out with reference to the list of biological agents in accordance with Regulations 4(e)(i) and 6(2)(b) of those Regulations.

BAILE ÁTHA CLIATH
ARNA FHOILSIÚ AG OIFIG AN tSOLÁTHAIR
Le ceannach díreach ón
OIFIG DHÍOLTA FOILSEACHÁN RIALTAIS,
TEACH SUN ALLIANCE, SRÁID THEACH LAIGHEAN, BAILE ÁTHA
CLIATH 2,
nó tríd an bpost ó
FOILSEACHÁIN RIALTAIS, AN RANNÓG POST-TRÁCHTA,
4 - 5 BÓTHAR FHEARCHAIR, BAILE ÁTHA CLIATH 2,
(Tel: 01 - 6613111 — fo-líne 4040/4045; Fax: 01 - 4752760)
nó trí aon dfoltóir leabhar.

DUBLIN
PUBLISHED BY THE STATIONERY OFFICE
To be purchased directly from the
GOVERNMENT PUBLICATIONS SALE OFFICE,
SUN ALLIANCE HOUSE, MOLESWORTH STREET, DUBLIN 2,
or by mail order from
GOVERNMENT PUBLICATIONS, POSTAL TRADE SECTION,
4 - 5 HARCOURT ROAD, DUBLIN 2,
(Tel: 01 - 6613111 — ext. 4040/4045; Fax: 01 - 4752760)
or through any bookseller.

£2.40

Wt. 1231. 460. 1/99. Cahill. (B18128). G.30-16.