



Ministry of Fisheries, Marine Resources & Agriculture

Male', Maldives

Approved Agricultural Pesticide Registry							
Common Name / Active Ingredient	Formulations	Concentration (%)	Pesticide Type	US EPA Toxicity Class	WHO Hazard Class	Host Plant/Area	Target Pest
1- Naphthaleneacetic acid							
Acephate	WP, SP	2.5, 75	Insecticide	III	Class II	fruit (including citrus), vine , peanuts, beet, brassicas, celery, beans, ornamentals, forestry and other crops	aphids, thrips, lepidopterous larvae, sawflies, leafminers, leafhoppers, cutworms
Acephate + Imidacloprid	SP	Acephate 50% + Imidacloprid 1.8%					
Acetamiprid	SP, SL, SG	20, 30, 45	Insecticide		Class II	fruit, vegetables, and ornamentals	Colorado beetle, fleahopper, fruit moth, leafhoppers, leafminers, plant bugs, thrips, whiteflies
Acetamiprid + monosultap	SP	Acetamiprid 15% + monosultap 30%					



Alanycarb			Insecticide	II	Class II	Vines, pome fruit, citrus fruit, and vegetable	coleoptera, hemiptera, lepidoptera and thysanoptera
Alcohol ethoxylate			Adjuvant				
Alpha-cypermethrin	SC, EC	1.47, 10, 9.88	Insecticide	II	Class II	fruit (including citrus), vegetables, Vines, maize, beet, forestry and other crops	Lepidoptera, coleoptera and hemiptera
Aluminium phosphide			Fumigant, Fungicide, Rodenticide	I	FM		Rodents
Aluminium sulfate			Plant Growth Regulator, Molluscicide				
Ametoctradin			Fungicide				
Aminocyclopyrachlor			Herbicide			Use on Turf	
Aminopyralid			Herbicide			industrial vegetation, rangeland, pastures	
Amisulbrom			Fungicide			fruits and vegetables	blight
Ammonium Nonanoate			Herbicide			nurseries, greenhouses, landscapes, and interior scapes	
Azamethiphos	WP, SL	0.08, 1, 10	Insecticide	III	Class II		Beetle, bugs, flies, spiders and other anthropods



Azoxystrobin + Difenconazole + Alcohol, C16-18, Ethoxylated	SC	Azoxystrobin 18.2% + Difenconazole 11.4% + Alcohol, C16-18, Ethoxylated 15-25%					
Benzalkonium chloride			Microbiocide, Algaecide, Herbicide				
Beta-cyfluthrin		25	Insecticide	II	Class Ib	deciduous fruit, vegetables, turf and ornamentals	Lepidoptera, coleoptera, hemiptera and homoptera
Beta-cypermethrin			Insecticide	II		fruits, grapes, sugar beat, and vegetables	coleoptera, diptera, hemiptera, lepidoptera and orthoptera
Bicyclopyrone			Herbicide				
Bifenthrin	EC, SC	10	Insecticide	II	Class II	citrus, fruit, grapes, ornamentals and vegetables	coleoptera, diptera, heteroptera, homoptera, lepidoptera and orthoptera
Bixafen			Fungicide			fruits, vegetables, ornamentals and forestry	
Borax			Insecticide, Herbicide, Fungicide	II	Class III	Non crop land	
Bordeaux mixture			Fungicide			Vegetables, fruits and nuts	insects, plants, fungus and algae
Boric acid	TB	2.5, 40, 60	Insecticide				Ant Poisons



Boric acid + Tricalcium phosphate		Boric acid 99% + Tricalcium phosphate <1%					
Brodifacoum	RB	0.0005, 0.005, 0.25, 0.3, 5	Rodenticide	I	Class Ia		Rodents, including strains resistant to conventional anticoagulant
Bromadiolone	RB	0.005	Rodenticide	III	Class Ia		Control of rats and mice, including those resistant to warfarin
Buprofezin	WP	25	Insect Growth Regulator, Insecticide	III	Class III	banana, Citrus, grapes, cucumbers, lettuce, melons, pumpkins, snap beans, squash, tomatoes, ornamentals	Mealybugs, planthoppers, scales, whiteflies
Captan	WG, WP	50, 80	Fungicide	IV	U	Pome fruit, stone fruit, peach, cherries, apricot, plum, citrus fruit, vine, tomato, carrot, cucurbits, ornaments and other crops	scab, gloeosporium, rots, shot hole, leaf curl, brown rots, early and late blight, alternaria blight, leaf spot, anthracnose, downy mildew
Carbaryl	WP	50, 80, 85	Insecticide, Plant Growth Regulator, Nematicide	II, III	Class II	Citrus fruit, vegetable , forage, forests, field crops, nuts, ornamentals, rangeland, turf, shade trees	lepidoptera, coleoptera, chewing and sucking insects



Carbendazim	WP, DF, SC	50	Fungicide, Breakdown product	III	U	Banana, fruits, grape, mushroom, ornamentals, peanuts, plantation crops, turf, vegetable and other crops	Ascomycetes, fungi imperfecti, basidiomycetes
Cartap hydrochloride	GR, SP	4, 50	Insecticide	II	Class II	cabbage, peanut, sunflower, maize, pome fruit, stone fruit, citrus fruit, vines, ginger, tea, and sugar cane	potato beetle, diamondback moth, grass leafroller, rice stem borer, thrips
Chloralose/alphachloralose	WP	90	Rodenticide, Bird Repellent	II	Class II		birds, rodents, foxes, and other pest animals
Chlorantraniliprole			Insecticide			fruits, vegetables, ornamentals, forestry greenhouse and nursery plants	
Chlorantraniliprole + Thiamethoxam	WG	Chlorantraniliprole 20% + Thiamethoxam 20 %					
Chlorfluazuron		0.1	Insect Growth Regulator, Insecticide		U	ornamental, tea, fruits and vegetables	Heliothis, Spodoptera, Bemisia tabaci and other chewing insects



Chlorothalonil	EC, SC, WP	40.3, 50, 53.94, 75, 78.12	Fungicide	I,II	U	pome fruit, stone fruit, citrus fruit, bush and cane fruit, cranberries, strawberries, pawpaws, banana, mango, coconut palm , vegetable, cucurbits, maize, ornamentals, mushroom, turf	many fungal diseases
Chlorothalonil + Iprodione + thiophanate methyl		Chlorothalonil 28.7% + Iprodione 9.4% + thiophanate methyl 9.4%					
Citronella Oil			Insect Repellent, Dog and Cat Repellent				
Clothianidin + Metofluthrin + Piperonyl Butoxide		Clothianidin 0.4% + Metofluthrin 0.01% + Piperonyl Butoxide 1%					
Copper hydroxide	WP	50, 60, 77	Fungicide, Microbiocide , Nematicide, Antibiotic	I	Class II	Vines, brassicas, celery, millet	peronosporaceae, Alternaria, phytophthora, Septoria, Leptosphaeria, Mycosphaerella
Copper oxide	WP	50, 77	Fungicide, Insecticide	III		Seed, horticulture crops, fruits and vegetables	blight, downy mildew, rust



Copper oxychloride	WP	50	Fungicide	III	Class II	beet, citrus, fruit, grapes, plantation crop, tomato, vegetables, ornamentals	late blight, leaf spot, downy mildew, canker, scab, melanose, rust, leaf curl, shot hole, cane, leaf scorch, anthracnose, blister blight, bacterial diseases
Copper sulfate			Fungicide, Algaecide, Molluscicide	I	Class II	Pond, lake, potable water, fish hatcheries, streams, ditches, swimming pools, sewer, crops and trees	Algae, Dutch elm, copper lime dust, tadpole shrimp
Coumatetralyl	RB, DP, WP	0.0375, 0.75	Rodenticide	I	Class Ib	Storage Area	Rats
Cyantraniliprole			Insecticide			cucurbits, fruiting vegetables, grapes, pome fruit, stone fruit	
Cyenoxyfen			Insecticide, Acaricide/Miticide			fruit, vegetables	
Cyfluthrin	EW	5	Insecticide	I,III	Class Ib	cereals, fruit and vegetables	cereal, corn, deciduous fruit, sugarcane, sunflower, vegetables
Cymoxanil			Fungicide	II	Class II	vines and tomatoes	downy mildew and late blight
Cymoxanil + Mancozeb	WP	Cymoxanil 8% + Mancozeb 64%					



Cypermethrin	EC	10.5, 10, 25, 35, 20, 10, 2.5, 25.3, 6.5	Insecticide	III	Class II		
Cypermethrin + 1-butanol + 1,2,4-trimethylbenzene + Naphthalene		Cypermethrin 26% + 1-butanol <2% + 1,2,4-trimethylbenzene <2% + Naphthalene <10%					
Cyphenothrin	EC	5, 7.2	Insecticide, Fumigant		Class II	Household use, public health, industrial use	Houseflies, midges, cockroaches
Cyphenothrin + D-tetramethrin	EC	Cyphenothrin 4% + D-tetramethrin 12%					
Cyprodinil			Fungicide	III		lemon, lime, cereal, field crops, grapes, stone fruit, pome fruit, strawberry, fruit, vegetable and as seed dressings	
Cyprodinil + Fludioxonil			Fungicide				
Cyprosulfamide			Herbicide Safener			corn	
Dazomet			Fumigant, Fungicide, Nematicide	II	Class II	Soil sterilant	Soil fungi, nematodes, germinating weed seeds and soil insects



Deltamethrin	EC, WP, SC, EW, ULV	4, 0.03, 1.25, 2, 2.5, 2.8, 3, 62.5, 98	Insecticide	II	Class II	citrus, grapes, maize, top fruits and vegetables, soil surface, stored grain	Coleoptera, heteroptera, homoptera, lepidoptera, thysanoptera, locusts, noctuidae, crawling and flying insects
Deltamethrin + Piperonyl Butoxide	SC	Deltamethrin 1% + Piperonyl Butoxide 8%					
Deltamethrin + S-bioallethrin	EC	Deltamethrin 2.8% + S-bioallethrin 0.89%					
Deltamethrin + S-bioallethrin + Piperonyl butoxide		Deltamethrin 0.6% + S-bioallethrin 0.85% + Piperonyl butoxide 11.90%					



Diazinon	GR, EC, EW	5, 50, 55, 80	Insecticide	II/III	Class II	deciduous fruit trees, citrus fruit, vines, bananas, pineapples, vegetables, beet, sugar cane, maize, sorghum, ornamentals, glasshouse crops, forestry, mushroom cultivation, animal houses, household use, seed treatment for maize, veterinary ectoparasiticide	sucking and chewing insects, mites, phorids, sciarid flies, flies, lice, mites, fleas, cockroaches, bedbugs, ants, fruit flies, birds
Diclosulam	WDG, DF	84	Herbicide	III		many crops	Broadleaf weeds
Difenacoum	RB	0.0005	Rodenticide	I	Class Ia		rats and mice
Difenoconazole	EC	25	Fungicide	III	Class II	Foliar and seed treatment fruits, cereals and vegetables,	Ascomycetes, Basidiomycetes and deuteromycetes and seed bone pathogens
Difethialone			Rodenticide		Class Ia		Commensal rats and mice (including warfarin resistant strains)
Difenthiuron	WP, SC	50	Insecticide	III		Cabbage, chilli, brinjal , tomato, citrus	controls Whiteflies, Aphids, Jassids, Thrips , Diamond Black Moth (DBM), & mites



Diflubenzuron			Insect Growth Regulator		Class III	forestry, woody ornamentals and fruits, citrus, vegetable, mushroom,	leaf eating insects, larvae of flies, mosquitoes, grasshoppers and migratory locusts. lice, fleas, blowfly larvae, codling moth, leafminers, mites, cotton boll weevil, army worm, leafworm
Dimethoate	EC, SL	30, 30.5, 40	Insecticide	II	Class II	citrus, fruit, grapes, pastures, tea, vegetables and ornaments	Acari, Aphididae, Aleyrodidae, Coccidae, Coleoptera, Collembola, Diptera, Lepidoptera, Pseudococcidae, Thysanoptera and flies
Dimetilan			Insecticide		O		
Dinotefuran	GR, SL, WSG	1, 10, 40	Insecticide		Class III	brassica, cucurbits, fruiting and leafy vegetables, grapes, ornamentals	
D-phenothrin	EC	10	Insecticide	III	U	industrial location and outdoor use	Insects of public health



d-phenothrin + n-Octyl bicycloheptene dicarboximide + Imidacloprid + Isobutane		d-phenothrin 0.4% + n-Octyl bicycloheptene dicarboximide 1% + Imidacloprid 0.05% + Isobutane 5< - >15					
Enrofloxacin (for veterinary use)							
Esfenvalerate	FL	5	Insecticide	II	Class II	fruit and vegetables	coleoptera, diptera, hemiptera, lepidoptera and orthoptera
Ethephon	EC, SL	40, 48	Plant Growth Regulator	I, II, III	Class III	bromeliads, cantaloupe, cherries, cucumber, grapes, gauva, ornamentals, peppers, pineapple, squash, sugarcane, tomato,	
Ethion			Insecticide, Acaricide/Mi ticide	II	Class II	pome fruit, stone fruit, citrus fruit, vines, vegetables, ornamentals, maiz, sorghum, cucurbits, strawberries, turf and other crops	spider mites, aphids, scale insects, thrips, lepidopterous larvae, leafhoppers, suckers, soil-dwelling, and other insects




Etofenprox	EC	10	Insecticide	III	U	pome fruit, stone fruit, citrus fruit, brassicas, cucumber, aubergines and other crops	rice water weevils, skippers, leaf beetles, leafhoppers, planthoppers, bugs, aphids, moths, butterfly, whitefly, leaf miners, leaf rollers, thrips, borers
Fenitrothion			Insecticide, Acaricide/Miticide	III	Class II	soft fruit, tropical fruit, vines, sugar cane, vegetables, turf and forestry	chewing, sucking and boring insects
Fenobucarb	EC	50	Insecticide	II	Class II	sugar cane, cucurbits, aubergines, capsicum	leafhoppers, planthoppers, thrips, weevils, bollworm and aphids
Fenoxasulfone			Herbicide				
Fenpropathrin			Insecticide, Acaricide/Miticide	II	Class II	pome fruit, citrus fruit, vines, vegetables, ornamentals, field crops, cucurbits, tomatoes	mites, whitefly, lepidopterous larvae, leaf miners, leafworms, bollworms
Fenvalerate	SC	10	Insecticide	II	Class II	fruits, vines, nuts, vegetable, cucurbits, sunflower, maize, sorghum, beet, peanut, sugar cane, ornamentals, forestry and non crop land	chewing, sucking and boring insects (lepidoptera, diptera, orthoptera, Hemiptera, and Coleoptera)



Ferrous sulphate			Herbicide, Molluscicide			lawn	Moss
Fipronil	SC, EC, WP, GR	5, 4.95, 2.5, 0.3, 0.05, 0.1, 0.001	Insecticide	II	Class II	crops and non crops	soil and foliar insects (corn rootworm beetle larvae, colorado potato beetle and rice water beetle)
Flazasulfuron			Herbicide	III		turf, citrus, vine, sugarcane	broadleaf weeds, annual grass weeds, sedges
Flocoumafen	RB	0.005	Rodenticide	III	Class Ia	field, plantation crop, sugar cane and buildings	Rodents which have become resistant to other anticoagulant rodenticides
Flubendiamide	SC	30, 39, 48	Insecticide		Class III	Corn, fruit, nuts, vegetables, vines	
Flubendiamide + Glycerine	SC	Flubendiamide 39% + Glycerine 10%					
Fludioxonil			Fungicide	III	U	Seed treatment, non cereal crops, vines, stone fruit. vegetables, field crops and turf	Gibberella, Fusarium, Tilletia, Helminthosporium, Septoria, Botrytis, Monilia, Sclerotinia, Rhizoctonia, Alternaria
Fluopyram			Fungicide			grapes, strawberries and tomatoes	
Flutianil			Fungicide			field crops, fruits, horticultural crops, ornamentals, trees, turf and vegetables	



Folpet			Fungicide	III	U	pome fruit, stone fruit, soft fruit, citrus fruit, vines, lettuce, cucurbits, onion, leeks, celery, tomato and ornamentals	downy mildew, powdery mildew, leaf spot disease, scab, gloeosporium rots, botrytis, alternaria, pythium, rhizoctonia
Fosetyl-aluminium			Fungicide, Antibiotic/Bactericide	III	U	lettuce, strawberries, pome fruit, citrus fruit, pineapple, avocado, vines, cucurbits, onions, cocoa, ornamental plants and shrubs	Phycomycetes (Phytophthora, Plasmopara, Bremia)
Glufosinate-ammonium	SL	28	Herbicide	III	Class II	fruit orchards, vineyards, plantation crops, oil palm plantation, ornamental trees, bushes, non crop land, pre emergence in vegetables	annual and perennial broad-leaved weeds and grasses
Glufosinate-P			Herbicide			field crops, fruits, horticultural crops, ornamentals, trees, turf and vegetables	
Hexythiazox			Insect Growth Regulator, Acaricide/Miticide	III	U	fruit, vines, vegetables, and ornamentals (horticulture crops)	eggs and larvae of many phytophagous mites
Horticultural oil (white summer oil)							



Hydramethylnon	PC	1, 1.8, 2	Insecticide	III	Class II	agriculture and household use	agriculture and household formicidae
Imicyafos			Nematicide			field crops, fruits, horticultural crops, ornamentals, trees, turf and vegetables	
Imidacloprid	WG, SC, SL, GR, EC, TC	20, 10, 17.8, 0.5, 18.3, 21.4, 30.5, 70	Insecticide	III	Class II	Seed dressing and soil treatment and as foliar treatment of maize, vegetables, citrus fruit, pome fruit and stone fruit	sucking insects, termites, biting insects (rice weevil, colorado beetle)
Imidacloprid + Beta-cyfluthrin		Imidacloprid 19.8% + Beta-cyfluthrin 8.5%					
Imidacloprid + Beta-Cyfluthrin	SC	Imidacloprid 2.1% + Beta-Cyfluthrin 1.05%					
Imidacloprid + Cyfluthrin	SC	Imidacloprid 21% + Cyfluthrin 10.5%					
Indaziflam			Herbicide			field crops, fruits, horticultural crops, ornamentals, trees, turf and vegetables	
Indoxacarb	SC, EC	0.05, 14.5, 15	Insecticide		Class II	field crops, vegetables and fruits	Lepidoptera and other pests
Ipfencarbazone			Herbicide				



Iprodione			Fungicide	III	Class III	vegetables, ornamentals, pome fruit, stone fruit, currants, strawberries, cucurbits, beet, sunflower, turf, and other crops. post harvest dip or seed treatment	Botrytis, Monilia, Sclerotinia, Alternaria, Corticium, Fusarium, Helminthosporium, Phoma, Rhizoctonia and Typhula
Isoprothiolane			Fungicide, Insecticide	III	Class II	fruits, vegetables and ornamentals	rice blast, rice stem rot and fusarium leaf spot
Isotanal			Fungicide			field crops, fruits, horticultural crops, ornamentals, trees, turf and vegetables	
Lufenuron			Insecticide, Acaricide/Miticide, Insect Growth Regulator		Class III	vegetables, citrus fruit, pets and houses	Lepidoptera larvae, Coleoptera larvae, citrus whitefly, rust mite, flea, cockroaches
Malathion	EC, UL	50, 57, 84, 96	Insecticide	III	Class III	pome, soft fruit, stone fruit, vegetables and stored grains	Coleoptera, Diptera, Hemiptera, Hymenoptera, Lepidoptera
Mancozeb			Fungicide	III	U	field crop, fruit, nuts and vegetables	blight, leaf spot, rust, downy mildew and scab
Maneb			Fungicide	III	U	field crop, fruit, nuts, vegetables, ornamentals and turf	blight, leaf spot, rust, downy mildew and scab



Meptyldinocap			Fungicide			field crops, fruits, horticultural crops, ornamentals, trees, turf and vegetables	powdery mildew
Metalaxyl			Fungicide	III	Class II	avocado, citrus fruit and seed treatment	downy mildew, late blight, soilborne disease caused by phytophthora and phythium
Metalaxyl-M + Mancozeb	WG	Metalaxyl-M 4% + Mancozeb 64%					
Metaldehyde	GR, WP	1, 6.7, 98	Molluscicide	III	Class II	field, greenhouse, citrus orchard, berries, and ornamentals, vegetables, fruits	slugs and snails
Metazosulfuron			Herbicide				
Methiozolin			Herbicide			turf and non food crops	
Nitrobenzene	EC	20, 22	Chemical intermediate				
Novaluron			Insecticide	III	U	fruit, nuts, vegetables, ornamentals and turf	Agromyzid leafminers, lepidoptera, and white flies
Novaluron + Indoxacarb	SC	Novaluron 5.25% + Indoxacarb 4.5%					
Penflufen			Fungicide				



Permethrin	EC	10, 25, 30, 50	Insecticide	II, III	Class II	fruits, vegetables and other crops, animal housing	Lepidoptera, coleoptera, animal eco parasites, biting flies, blattodea, diptera, hymenoptera, crawling insects, and flying insects
Permethrin + tetramethrin	EC	Permethrin 20% + tetramethrin 10%					
Phenthoate	EC	50	Insecticide	II	Class II	citrus fruit, pome fruit, berries, maize, sunflower, sugarcane, vegetables, cucurbits, and ornamentals	aphids, scale insects, jassids, lepidopterous larvae, bollworms, borers, leafhoppers, planthoppers, mealybugs, lace bugs, suckers, thrips, whitefly and spidermites
Phoxim			Insecticide	III	Class II	granaries, mills, silos, ships, household, maize, vegetable, potatoes	stored-product insects, ants, caterpillars, soil insects, migratory locusts and other insects
Picloram			Herbicide	II	U	grasslands and non-crop areas	woody weed, bracken, fern, docks
Piperonyl butoxide	EW	10	Synergist, Insecticide		U		




Piperonyl Butoxide + Metofluthrin + d,d -T-Cyphenothrin 6.0%	EW	Piperonyl Butoxide 10% + Metofluthrin 0.1% + d,d -T-Cyphenothrin 6.0%					
Pirimiphos-methyl	EC	50	Insecticide	II	Class II	warehouse, stored grain, amlinal house, domestic and industrial premises, vegetables, ornamentals, bulb flowers, sugar cane, maize, sorghum, citrus fruit, other fruit, tomato, cucumber, capsicum, aubergines, and other glasshouse crops	insects, mites, chewing insects, sucking insects, boring insects, mites, whitefly, thrips, mealybugs, and aphids
Polybutene			Rodenticide				
Potassium salt of fatty acid		49.52, 47					
Potassium salts of Fatty acid + Neem oil + Pyrethrins		Potassium salts of Fatty acid 1% + Neem oil 0.9% + Pyrethrins 0.012%					
Primisulfuron-methyl			Herbicide	III		fruits and nuts and field cropping areas	grass weeds and many broad-leaved weeds
Profenofos	EC, SL	50	Insecticide, Acaricide/Miticide	III	Class II	maize, vegetables, and other crops	lepidoptera and mites
Profenofos + Cypermethrin	EC	Profenofos 40% + Cypermethrin 4%					



Propamocarb hydrochloride			Fungicide	III		vegetables, ornamentals, glasshouse tomatoes, glasshouse cucumbers, tulips, and in forestry seedbeds, turfs, lettuce, cucurbits, cabbage, tomatoes, strawberries, seed treatment	Phycomycetous diseases, Phythium blight, phytophthora infestans, pytophthora cactorum
Propineb	WP	70	Fungicide, Microbiocide	III	U	vines, apple, pears, stone fruit, tomatoes, ornamentals, vegetables, citrus fruit, berry fruit	downy mildew, black rots, red fire disease, grey mould, scab, brown rot, leaf spot disease, Alternaria blight, phytophthora blight, septoria leaf spot, leaf mould and rust
Propoxur	EC	18.7, 2	Insecticide	I, II, III	Class II	food storage areas, houses, animal houses, fruit, vegetable, ornamentals, vines, maize, sugar cane, and forestry	cockroaches, flies, fleas, mosquitoes, bugs, ants, millipedes, chewing insects, sucking insects, migratory locusts and grasshoppers
Propoxur + Tetramethrin + Piperonyl butoxide	AE	Propoxur 2% + Tetramethrin 0.2% + Piperonyl butoxide 1%					



Propyrisulfuron			Herbicide			non-food crops and forest areas	
Prothiofos			Insecticide	III	Class II	vegetables, fruit, maize, sugar cane, and ornamentals	leaf-eating caterpillars, pseudococcus spp, thrips, cockchafer larvae and cutworms
Pyrametostrobin			Fungicide				
Pyraoxystrobin			Fungicide			Vegetables	
Pyrasulfotole			Herbicide			grass crops and fruits, turf and nonfood growing areas	
Pyrethrins	Liquid	0.5, 5	Insecticide	III	Class II	public health, Stored products, animal house, domestic animal, farm animal, fruit, vegetables, field crops, ornamentals, glasshouse crops and house plant	mites, chewing insects, sucking insects, spider mites
Pyrethrins + Beauveria bassiana		Pyrethrins 0.75% + Beauveria bassiana 0.06%					
Pyrethrins + Piperonyl butoxide		Pyrethrins 4% + Piperonyl butoxide 16%					
Pyrifluquinazon			Insecticide			greenhouse tomatoes	
Pyriproxyfen	EC	100	Insect Growth Regulator, Insecticide	III	U	Breeding sites	white fly, thrips, and public health insect pests



Pyriproxyfen + Beauveria bassiana		Pyriproxyfen 70% + Beauveria bassiana 7%					
Pyroxasulfone			Herbicide			corn	
Pyroxulam			Herbicide			non food growing areas, turf	
Quinalphos			Insecticide	II	Class II	fruit tree, vegetable, beet, vines, ornamentals, nuts	lepidoptera, coleoptera, diptera, hemiptera, aphids, bollworms, borers, leafhoppers, mealybugs, mites, planthoppers and thrips
Saflufenacil			Herbicide			fruit crops, forestry and ornamentals	
S-bioallethrin			Insecticide	II, III		field crop, fruit, nuts , vegetables, ornamentals and turf	flying insects and crawling insects
S-Bioallethrin + Permethrin	EC	S-Bioallethrin 0.78 + Permethrin 18.70%					
Spinetoram	SG	0.5, 5.87	Insecticide (Organic)		U	field crop, fruit, nuts , vegetables, ornamentals	codling moth and leafminers
Spinetoram			Insecticide			pome fruit, tree nut, vegetables	codling moth, leafminers
Spirotetramat			Insecticide			citrus, grapes, pome fruit, stone fruit, tree nut, vegetables	



Streptomycin	SP	90	Bactericide/ Antibiotic, Fungicide	III		field crop, fruit, nuts , vegetables, ornamentals and turf	
Sulfoxaflor			Insecticide				
Sulfur	WP, DF, WG	80	Fungicide, Insecticide	III		field crop, fruit, nuts , vegetables, forestry, ornamentals and turf	scab, powdery mildew, shot hole, mites
Sulfur + Ethoxylated Alcohol + Polyoxyethylene dodecyl mono ether + Water		Sulfur 45% + Ethoxylated Alcohol 3% + Polyoxyethylene dodecyl mono ether 2% + Water 55%					
Tebuconazole	EW	25	Fungicide		Class II	field crop, fruit, nuts , vegetables, ornamentals and turf	smut and bunt disease, rust, powdery mildew, scab, powdery mildew fungi
Tebufenozide			Insect Growth Regulator	III	U	field crop, fruit, nuts , vegetables, ornamentals and forest crops	lepidopteran larvae
Tebufluoquin			Fungicide				
Tefuryltrione			Herbicide			fruits, turn and ornamentals	
Tembotrione			Herbicide			fruits, turn and ornamentals	



Temephos	AB, GR	1	Insecticide/L arvicide	III	Class III	public health, Agriculture, Humans and domestic animals	larvae of anopheles, aedes, culex, simulium spp, flea and lice
Tetramethrin			Insecticide	III	U	public health and home garden use	flies, cockroaches, mosquitoes, wasps and other insect pests
Tetramethylfluthrin			Insecticide				
Thiamethoxam	WG	10, 20, 25	Insecticide, Seed treatment/P rotectant	III	Class II	seed treatment, field crop, fruit, nuts , vegetables, ornamentals and turf	
Thiencarbazon-methyl			Herbicide			fruits, turn and ornamentals	
Thiocyclam	SP	50	Insecticide	II	Class II	field crop, fruit, nuts , vegetables, ornamentals	lepidoptera, coleoptera, diptera, thysanoptera, colorad beetle, stemborers, corn borer, tanymecus, weevil and sugarcane stemborer



Thiophanate-methyl	SP	70	Fungicide	III	U	field crop, fruit, nuts , vegetables, ornamentals and turf	eyespot, scab, monilia disease, gloeosporium rot, canker, powdery mildew, botrytis, sclerotinia, leaf spot disease, club root, dollar spot, corticium, fusarium, pyricularia oryzae and sigatoka disease
Thiophanate-methyl + Thiram	WP	Thiophanate- methyl 50% + Thiram 30%					
Thiram	WP	75, 80	Fungicide	III	Class II	seed treatment, field crop, fruit, nuts , vegetables, ornamentals and turf	botrytis spp, rust, scab, leaf curl, monilia, damping off disease
Trichoderma viride	WP	1	Fungicide	III			downy mildew, powdery mildew, fusarium wilt, verticillium wilt, leaf spot, root rot, stem rot
Triclopyr			Herbicide	I, III	Class II	forests, industrial sites, turf, permanent grass pastures, rangeland, non- irrigation ditchbanks	
Trifloxystrobin	WG	50	Fungicide	III	U	banana, cucurbits, grape, pome fruit, turf, ornamentals	



Valifenalate			Fungicide			vegetables, ornamentals, forestry, nursery, greenhouse	mildew
Vitamin B1 (thiamin hydrochloride)			Plant Growth Regulator				
Warfarin			Rodenticide		Class Ib		rats and mice
Zineb + Cymoxanil + Copper Oxychloride							

